



PRASA PROJECT



SELF INSPECTION SHEET

CONFIDENTIAL INFORMATION

This document and the information contemplated therein have to be considered as Confidential Information pursuant to the provisions of Clause 25 of the MSA, and treated as such.

APPLICATION REFERENCE

MOUNTING	DESCRIPTION	STATION	CAR TYPE						WORK INSTRUCTION	SAFETY ?	
			TC1	M4	M1	M2	M3	TC2			
<input type="checkbox"/>	DTR3-PROCE-14	LEVELLING, WEIGHTING AND BALANCING M CAR	FT1140		1	1	1	X		PRA.FT1140.04	YES
<input type="checkbox"/>	DTR3-PROCE-14	LEVELLING, WEIGHTING AND BALANCING TC CAR	FT1140	1					1	PRA.FT1140.05	YES
<input type="checkbox"/>	DTR3-PROCE-17	LEVELLING, WEIGHTING AND BALANCING TC CAR	FT1140	1	1	1	1	1	1	PRA.FT1140.05	YES
<input type="checkbox"/>	DTR3-PROCE-17	LEVELLING, WEIGHTING AND BALANCING TC CAR	FT1140	1	1	1	1	1	1	PRA.FT1140.05	YES
<input type="checkbox"/>											
<input type="checkbox"/>											
<input type="checkbox"/>											

REV	DATE	MODIFICATION CONTENT	RESPONSIBLE	NAME	DATE
7	2/11/2020	UPDATE OF AIR TIGHTNESS TEST TIME FROM 4 MIN TO 5 MIN. ADD PANTOGRAPH AIR TIGHTNESS.	APPROVER	GIVEN SILOWA	2/11/2020
			CHECKER	SIMON MOKOENA	2/11/2020
			COMPILER	COMFORT MALATJI	2/11/2020
8	9/13/2021	ADDING GAUGE MEASUREMENT CHECK ON THE SI.	APPROVER	MAKOFANE LUCY	9/13/2021
			CHECKER	RATAU EDISON	9/13/2021
			COMPILER	TSAKANI KHOSA	9/13/2021
9	5/31/2022	pressure valve (APV) Isolation	APPROVER	MAKHURUPETJI THABANG	5/31/2022
			CHECKER	HAZEL MGIBA	5/31/2022
			COMPILER	RATAU EDISON	5/31/2021

TUE	CAR	OPERATOR NAME	DATE	SELF INSPECTION NUMBER	PAGES
TS 226	M3	CHIPU	30/05/24	SI.FT1140.52	01/08



SELF INSPECTION INDUSTRIAL QUALITY

Rev:09

Date:

5/31/2022

Projet:
PRASA

SI.FT1140.52

Car:

NCR:

Work Station

FT1140



Safety Related

I - Document and Instrument Control

I.1 - Documents control

Document	TC1	M1	M2	M3	M4	TC2	Revision	Remark	OK	NO	Signature/Date
PRA.FT1140.04											
PRA.FT1140.05				✓					✓		<i>[Signature]</i>
PRA.FT1140.05											

I.2 - Instruments Control - Monitoring and Measuring Instrument Control (Used for all instrument with calibration needed)

Instruments description	Serial number	Calibration or Verification Validation Date	OK	NO	Signature/Date
Measuring tape	CALBTA 0275	28/10/23-22/10/24	✓		<i>[Signature]</i>
Vanner caliper	CALBVR 0056	01/06/23-02/06/24	✓		
Torque wrench 35Nm	D2511023	19/12/23-19/12/24	✓		
Torque wrench 150Nm	D28622069	19/12/23-19/12/24	✓		
Torque wrench 320Nm	A19650027	21/12/23-21/12/24	✓		
					31/05/24

31/05/24



SELF INSPECTION INDUSTRIAL QUALITY

Rev:09

Date:

5/31/2022

Projet:
PRASA

SI.FT1140.52

II - Self Inspection - Items to Check

R.1 - Items to Check

Item	Picture/Sketch	Description	Criteria/Record	OK	Not OK	Signature/Date
01		Ensure that the average pressure valve (APV) is isolated by capping the two input pipes at the fittings installing the blanking fitting on the pipes highlighted		✓		 31/05/2024
02		Check underframe pipe system Air tightness. Test performance according to WI.PRA.FT1130.15.	The test was performed and no leak was observed. Initial pressure (IP): 19.49 bar Final pressure (FP): 19.27 bar FP - IP = 0.22 bar APPROVAL CRITERIA: After 5 minutes the pressure cannot drops more than 0,2 bar	✓		 31/05/2024
03		Movement performed at least 50m to shudder the car. And position on the leveled load cell, with wheels on the center.		✓		 31/05/2024
04		Measurement inspection was done with car on condition AW0 and the rail leveled. (The load cells system must be levelled and calibrated)	Calibration Validation Date 17.12.2023	✓		 31/05/2024
05		In case of the equipments not installed, equivalent weight of the item should be added in the same place to simulate the equipment (Any simulated weight, add on pending list)	EQUIPMENT DESCRIPTION Alingway WEIGHT (kg) 300	✓		 31/05/2024
06		The pressure difference between air spring on each bogie when raise the pressure was maintained < 0.3 bar.		✓		 31/05/2024
07		Measuremet recorded with empty suspension and loaded are on conformity with tolerances of the project		✓		 31/05/2024
08		All leveling measurements are according to the reference. (Values out of reference must be recorded on "Description of defects")		✓		 31/05/2024



SELF INSPECTION INDUSTRIAL QUALITY

Rev:09

Date:

5/31/2022

Projet:
PRASA

SI.FT1140.52

Item	Picture/Sketch	Description	Criteria/Record	OK	NO	Signature/Date
09		Check that the leveling rods are torqued and have torque marker.		✓		 31/05/24
10		The difference of weight between the left and right wheels of each axis, must be $\leq 4\%$. (Verify on the T&G equipment if all arrows are in green).		✓		 31/05/24
11		Remove the car, move back onto the load cells and repeat the step 09. Confirm if both are in the tolerance of $\leq 4\%$.		✓		 31/05/24
12		1 - Record shims thickness used on rod - 2 - All screws were torqued and have torque marker.	THICKNESS (mm) I 0 II 0 III 0 IV 0	✓		 31/05/24
13		Pivot fixation	1- M20 x 90 screws with application of torque according to PRA.FT1140.04 / 05	✓		 31/05/24
14		FOR TC CARS F= Height of the center of Automatic coupler F = 895mm (+5 / -10mm) (Using leveled rail)	TC CAB #1= _____ mm			N/A
15		FOR TC CARS Height of Eurobase Antenna = 205mm(+/-10mm) (Using leveled rail)	TC CAB #1= _____ mm			N/A
16		Check pantograph piping air tightness. Test performance according to WI PRA.FT1140.17.	The test was performed and no leak was observed. -Roof piping connection fittings. -Room piping connection fittings(Roof arch and door trimming)			N/A
17		Pantograph does not come in contact with the higher height gauge when passing through.	No Contact with Pantograph and Gauge -GO Contact with Pantograph and Gauge - NO GO			N/A
18		Car does not come into contact with the gauge.	No Contact with Car and Gauge -GO Contact with Car and Gauge - NO GO	✓		 31/05/24



SELF INSPECTION INDUSTRIAL QUALITY

Rev:09

Date:

5/31/2022


Proj:
PRASA

SI.FT1140.52

DRAFT TO MEASUREMENTS DURING LEVELLING (ALL UNITS MUST BE IN mm/bar/kg)

DESCRIPTION	TOLERANCE	LEFT SIDE						RIGHT SIDE						
		6	5	4	3	2	1	1	2	3	4	5	6	
AIR SPRING HEIGHT (EMPTY)	N/A	A ^{II}	/	/	/	/	/	/	/	/	/	/	/	A ^I
AIR SPRING HEIGHT (FULL)	min 254 max 261	A ^{II}					256 252	257	256					A ^I
FLOOR COVERING HEIGHT	min 1096 max 1116	E ^{II}												E ^I
AIR SPRING PRESSURE	± 0.3 (C ^I - C ^I)	C ^{II}					2181 2165	2189	2171					C ^I
PRIMARY SUSPENSION	SEE TABLE (ONLY REF)	D ³	/	/	/	/	/	/	/	/	/	/	/	D ¹
PRIMARY SUSPENSION	SEE TABLE (ONLY REF)	D ⁴	/	/	/	/	/	/	/	/	/	/	/	D ²
PIVOT VERTICAL GAP	min 25 max 32	K ^{II}	/	/	/	/	/	/	/	/	/	/	/	K ^I
PIVOT LATERAL STOP GAPS DIFFERENCE	± 4 (J ^I - J ^I)	J ^{II}	/	/	/	/	/	/	/	/	/	/	/	J ^I
QTY OF TURNS OF LEVELLING ROD	N/A	X ^{II}	/	/	/	/	/	/	/	/	/	/	/	X ^I
SHIMS OF ANTI-ROLL BAR	N/A	Y ^{II}	/	/	/	/	/	/	/	/	/	/	/	Y ^I
DESCRIPTION	TOLERANCE		6	5	4	3	2	1	1	2	3	4	5	6
AIR SPRING HEIGHT (EMPTY)	N/A	A ^{III}	/	/	/	/	/	/	/	/	/	/	/	A ^{IV}
AIR SPRING HEIGHT (FULL)	min 254 max 261	A ^{III}					255 254	256	258					A ^{IV}
FLOOR COVERING HEIGHT	min 1096 max 1116	E ^{III}												E ^{IV}
AIR SPRING PRESSURE	± 0.3 (C ^{IV} - C ^{IV})	C ^{III}					2185 2197	2168	2185					C ^{IV}
PRIMARY SUSPENSION	SEE TABLE (ONLY REF)	D ⁵	/	/	/	/	/	/	/	/	/	/	/	D ⁷
PRIMARY SUSPENSION	SEE TABLE (ONLY REF)	D ⁶	/	/	/	/	/	/	/	/	/	/	/	D ⁸
PIVOT VERTICAL GAP	min 25 max 32	K ^{III}	/	/	/	/	/	/	/	/	/	/	/	K ^{IV}
PIVOT LATERAL STOP GAPS DIFFERENCE	± 4 (J ^{IV} - J ^{IV})	J ^{III}	/	/	/	/	/	/	/	/	/	/	/	J ^{IV}
QTY OF TURNS OF LEVELLING ROD	N/A	X ^{III}	/	/	/	/	/	/	/	/	/	/	/	X ^{IV}
SHIMS OF ANTI-ROLL BAR	N/A	Y ^{III}	/	/	/	/	/	/	/	/	/	/	/	Y ^{IV}

COMPARE EACH TENTATIVE WITH THE TOLERANCE AND IDENTIFY EACH MEASURE AS BELOW		
GOOD	LOWER	HIGHER
✓	↓	↑
WEIGHT COMPENSATION		
EQUIPMENT		
WEIGHT		
EQUIPMENT		
WEIGHT		
SECONDARY MEASUREMENTS (ONLY TO CARS)		
AUTOMATIC COUPLER HEIGHT		
ANTENNA HEIGHT		





SELF INSPECTION INDUSTRIAL QUALITY

Rev:09

Date:

5/31/2022


Projet:
PRASA

SI.FT1140.52

DRAFT TO MEASUREMENTS DURING LEVELLING (ALL UNITS MUST BE IN mm/bar/kg)

DESCRIPTION	TOLERANCE	LEFT SIDE						RIGHT SIDE							
		6	5	4	3	2	1	1	2	3	4	5	6		
AIR SPRING HEIGHT (EMPTY)	N/A	A'II												A'I	
AIR SPRING HEIGHT (FULL)	min 254 max 261	AII												AI	
FLOOR COVERING HEIGHT	min 1096 max 1116	EII												EI	
AIR SPRING PRESSURE	± 0.3 (QI - Q)	CII												CI	
PRIMARY SUSPENSION	SEE TABLE (ONLY REF)	D3												D1	
PRIMARY SUSPENSION	SEE TABLE (ONLY REF)	D4												D2	
PIVOT VERTICAL GAP	min 25 max 32	KII												KI	
PIVOT LATERAL STOP GAPS DIFFERENCE	≤ 4 (AI - A)	JII												JI	
QTY OF TURNS OF LEVELLING ROD	N/A	XII												XI	
SHIMS OF ANTI-ROLL BAR	N/A	YII												YI	
DESCRIPTION	TOLERANCE		6	5	4	3	2	1	1	2	3	4	5	6	
AIR SPRING HEIGHT (EMPTY)	N/A	A'III													A'IV
AIR SPRING HEIGHT (FULL)	min 254 max 261	AIII													AIV
FLOOR COVERING HEIGHT	min 1096 max 1116	EIII													EIV
AIR SPRING PRESSURE	± 0.3 (QIV - QII)	CIII													QIV
PRIMARY SUSPENSION	SEE TABLE (ONLY REF)	D5													D7
PRIMARY SUSPENSION	SEE TABLE (ONLY REF)	D6													D8
PIVOT VERTICAL GAP	min 25 max 32	KIII													KIV
PIVOT LATERAL STOP GAPS DIFFERENCE	≤ 4 (AIV - AV)	JIII													JIV
QTY OF TURNS OF LEVELLING ROD	N/A	XIII													XIV
SHIMS OF ANTI-ROLL BAR	N/A	YIII													YIV

COMPARE EACH TENTATIVE WITH THE TOLERANCE AND IDENTIFY EACH MEASURE AS BELOW		
GOOD	LOWER	HIGHER
✓	↓	↑
WEIGHT COMPENSATION		
EQUIPMENT		
WEIGHT		
EQUIPMENT		
WEIGHT		
SECONDARY MEASUREMENTS (ONLY T.C GARS)		
AUTOMATIC COUPLER HEIGHT		
ANTENNA HEIGHT		





SELF INSPECTION INDUSTRIAL QUALITY

Rev:09
Date:
5/31/2022

Proj:
PRASA

SI.FT1140.52

Table 1 - Reference Values and Measurement Tolerances for the Car Levelling.

ITEM	THEORETICAL VALUES																	
	TCL CAR		MA CAR		MI CAR		M2 CAR		M3 CAR		TCL CAR							
	Toler.	MB1	MB1	MB2	Toler.	MB1	MB1	MB2	MB2	MB2	Toler.							
Pivot lateral stop gap difference [mm]	≤4	≤4	≤4	≤4	≤4	≤4	≤4	≤4	≤4	≤4	≤4	≤4	≤4	≤4	≤4	≤4	≤4	≤4
Air Spring height [mm]	255 ⁺⁰ ₋₁																	
Air spring pressure at AWD [Bar]	3,76 (Ref.)	2,87 (Ref.)	2,83 (Ref.)	3,02 (Ref.)	2,91 (Ref.)	3,07 (Ref.)	2,85 (Ref.)	2,88 (Ref.)	2,83 (Ref.)	2,87 (Ref.)	2,83 (Ref.)	3,76 (Ref.)	2,83 (Ref.)	2,87 (Ref.)	2,83 (Ref.)	2,88 (Ref.)	2,83 (Ref.)	3,76 (Ref.)
Primary Suspension gap [mm]	0,3 Máx.																	
	D ₁ ; D ₃																	
	35 ⁺⁰ ₋₃																	
	D ₂ ; D ₄																	
Carbody Floor height [mm]	1106 ⁺⁰ ₋₁₀																	
Boiler height [mm]	850 ⁺⁰ ₋₃																	
Coupling End height [mm]	895 (Ref.)	760 (Ref.)	895 (Ref.)	760 (Ref.)	760 (Ref.)	760 (Ref.)	760 (Ref.)	760 (Ref.)	895 (Ref.)									
	760 (Ref.)																	
Pivot Vertical gap [mm]	30 ⁺⁰ ₋₃																	



SELF INSPECTION INDUSTRIAL QUALITY

Rev:09

Date:

5/31/2022

Proj:
PRASA

SI.FT1140.52

Leveling report from Production (Final measurements after Levelling and Weighing fine)

References for secondary suspension empty

A'n Air spring height empty

References for secondary suspension full

- An Air spring height
- Bn Difference between measurement A'n and An
- En Floor covering height
- Cn Air spring pressure
- Dn Primary suspension
- Kn Pivot Vertical gap
- Jn Pivot Lateral stop gaps difference

Item	Reference [mm]	END#1		END#2	
		Right Side	Left Side	Left Side	Right Side
A'n	N/A	A'1 242	A'1 241	A'1 239	A'1 243
An	254 to 281	A1 256	A1 256	A1 255	A1 257
Bn = An - A'n	N/A	B1 14	B1 15	B1 16	B1 14
En	1108 ±10 mm	E1 1111	E1 1110	E1 1111	E1 1109


Item	Reference [bar]	END#1		END#2	
		Right Side	Left Side	Left Side	Right Side
Cn	Table 02 (*)	C1 2,75	C1 2,81	C1 2,83	C1 2,83
Cn - Cn+1	Difference ≤ 0,3	C1 - C1 0,06	C1 - C1 0	C1 - C1 0	C1 - C1 0
Gauge serial number	N/A	G1805873	G1805873	G1805873	G1805873

Item	Reference [mm]	END#1		END#2	
		Right Side	Left Side	Left Side	Right Side
Dn	Table 01 (*)	D1 45,67	D1 45,19	D1 44,16	D1 45,54
		D2 44,97	D2 45,18	D2 45,02	D2 44,84
Kn	25 to 45	K1 37,61	K1 34,0	K1 34,0	K1 34,0
Jn	Difference ≤ 4	J1 24,54	J1 25,91	J1 25,11	J1 24,92

(*) Reference, only include values, isn't approval criteria.

Table 01 D Theoretical Values	TC1		M4		M1		M2		M3		TC2	
	Tbex	TBin	Mb1	Mb1	Mb1	Mb2	Mb1	Mb1	Mb1	Mb1	Tbin	Tbex
D=	$35 \frac{+12}{-5}$											

Table 02 C Theoretical Values	TC1		M4		M1		M2		M3		TC2	
	Tbex	TBin	Mb1	Mb1	Mb1	Mb2	Mb1	Mb1	Mb1	Mb1	Tbin	Tbex
C=	3.76	2.82	2.87	2.83	3.02	2.91	3.07	2.85	2.83	2.87	2.83	3.76



Weighting report from Test and Commissioning (Final measurements after Levelling and Weighing fine)



Gibela Rail Transport Consortium RF (Pty)
 Ltd
 2 Shosholozza Avenue
 Dunnettar X7
 Ekurhuleni, 1590, South Africa
 Reception: +27 (0)10 600 0651

TRAIN SET 226 REF: GIB0000001672_JO PRASA WEIGHT BALANCE EN
 PC09 WEIGHING REPORT

	Front Bogie [Tons]	Rear Bogie [Tons]	Longitudinal Imbalance [%]	Criteria Longitudinal Imbalance ± 3%
M3	17.87	17.85	0.06%	PASS
	Weight Measured vs Predicted	Weight Predicted [Tons]	Weight Difference [%]	Tolerance [%]
	35.72	35.90	0.50%	1.96%
				Criteria Min/Max
				PASS

Name	Company	Department	Signature	Date
Inedo Musi	GIBELA	EOC	<i>[Signature]</i>	30/05/24